




# NATRIA®

## Lawn Weed & Disease Control

Ready-to-Use

**Kills Weeds, Down to the Root**  
**Kills Most Common Lawn Disease Fast**



Active Ingredients:  
Iron HEDTA (FeHEDTA) ... 1.50%  
Other Ingredients ... 98.50%  
Total 100.00%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION** See back panel for additional  
precautionary statements

**NET CONTENTS**  
**24 FL OZ (709ml)**

50142980a 170803V1

**See Results In Hours!**



# Lawn Weed & Disease Control

Ready-to-Use

**OPEN**  
Resealable Label  
for Directions &  
Precautions

**READ THE LABEL FIRST!**

## QUICK FACTS



Indicaciones  
en español  
después de las  
de inglés

- Selective Weed Killer
- Kills weeds not lawns
- Moss and weed killer for lawns
- Rainfast in 3 hours
- Can re-seed lawn 1 day after spraying
- Can be used on new lawns (1 week) after grass emergence
- Kills Weeds, Down to the Root

### CONTROLS

Dandelion, Common Chickweed, Clover and other Listed Broadleaf Weeds  
Moss, Algae and Lichens

### WHERE TO USE

On lawns. (Do not apply to bentgrass or dichondra)



For questions or comments, call toll-free 1-877-229-3724.

### ACTIVE INGREDIENT:

Iron HEDTA (FeHEDTA) ..... 1.5%

**OTHER INGREDIENTS** ..... 98.5%

**TOTAL** ..... 100.00%

EPA Reg. No. 67702-27-92564

EPA Est. No indicated by 3rd and 4th digits of the batch number on this package.

(47) = 52251-OR-005 (65) = 92564-TX-1

(57) = 071106-GA-003



6 87073 07300 3

501439380a 170803V1

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### USE SITES:

Use to selectively control/suppress broadleaf weeds and diseases growing in lawns.

### PESTS:

**Controls or suppresses weeds such as but not limited to:**

Black medic ( <i>Medicago lupulina</i> )	Healall ( <i>Prunella vulgaris</i> )
Broadleaf plantain ( <i>Plantago major</i> )	Moss, liverworts, algae and lichens
Bull thistle ( <i>Cirsium vulgare</i> )	Narrow-leaved plantain
Canada thistle ( <i>Cirsium arvense</i> )	( <i>Plantago lanceolata</i> )
Common chickweed ( <i>Stellaria media</i> )	Oxalis ( <i>Oxalis</i> spp.)
Creeping buttercup ( <i>Ranunculus repens</i> )	Persian Speedwell ( <i>Veronica persica</i> )
Creeping Charlie/Ground ivy ( <i>Glechoma hederacea</i> )	Prostrate knotweed ( <i>Polygonum aviculare</i> )
Dandelion ( <i>Taraxicum officinale</i> )	Shepherd's-purse ( <i>Capsella bursa-pastoris</i> )
Dovefoot geranium ( <i>Geranium molle</i> )	Silverweed cinquefoil ( <i>Potentilla anserina</i> )
English daisy ( <i>Bellis perennis</i> )	Slender speedwell ( <i>Veronica filiformis</i> )
False dandelion ( <i>Hypochoeris radicata</i> )	White clover ( <i>Trifolium repens</i> )
	Wild chamomile ( <i>Matricaria chamomilla</i> )

**Controls or suppresses diseases such as but not limited to:**

Dollar Spot    Rust    Snow Mold

### APPLICATION DIRECTIONS: Shake well before using.

Do not dilute. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

### WHAT WILL I SEE?

Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn) this does not affect the health of the grass.

## DIRECTIONS FOR USE (cont'd)

### USE PRECAUTIONS:

Do not apply to drought stressed grass; ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year, not including spot treatments.

## STORAGE AND DISPOSAL

### PESTICIDE STORAGE

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame.

### PESTICIDE DISPOSAL AND CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container.

#### If Empty:

- Place in trash or offer for recycling if available.

#### If Partly Filled:

- Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

¡LEER LA ETIQUETA ANTES DE UTILIZAR EL PRODUCTO!

### DATOS RÁPIDOS

- Exterminador selectivo de malezas
- Mata la maleza no el césped
- Exterminador de malezas y moho para césped
- Resistente a la lluvia en 3 horas
- Puede volver a plantar césped 1 día después de colocar el producto
- Puede usarse en césped nuevo (1 semana) luego de que aparezca el césped
- Mata las malezas, hasta la raíz

**CONTROLA** Diente de león, oreja de ratón común, trébol y otras malezas de hoja ancha incluidas en la lista. Moho, algas y líquen.

**DÓNDE USAR** En céspedes. (No aplicar en agrostis o dicandra)



Si tiene preguntas o comentarios, llame al número gratuito 1-877-229-3724.

<b>INGREDIENTE ACTIVO:</b>	
Hierro HEDTA (FeHEDTA) .....	1.5%
<b>OTROS INGREDIENTES</b> .....	98.5%
<b>TOTAL</b>	100.00%

### INDICACIONES DE USO

Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en la etiqueta.

#### LUGARES DE USO:

Úselo para controlar/evitar selectivamente que las malezas de hoja ancha o enfermedades crezcan en los jardines.

#### PLAGAS:

**Controla o evita malezas tales como pero no limitadas a:**

Mielga negra ( <i>Medicago lupulina</i> )	Hierba del carpintero ( <i>Prunella vulgaris</i> )
Plátano de hoja ancha ( <i>Plantago major</i> )	Moho, plantas hepáticas, algas y líquen
Cardo negro ( <i>Cirsium vulgare</i> )	Plátano de hoja angosta ( <i>Plantago lanceolata</i> )
Cardo de Canadá ( <i>Cirsium arvense</i> )	Oxalis ( <i>Oxalis spp.</i> )
Oreja de ratón común ( <i>Stellaria media</i> )	Verónica pérsica ( <i>Veronica persica</i> )
Botón de oro ( <i>Ranunculus repens</i> )	Sanguinaria mayor ( <i>Polygonum aviculare</i> )
Creeping Charlie/Hiedra rastrera ( <i>Glechoma hederacea</i> )	Bolsa de pastor ( <i>Capsella bursa-pastoris</i> )
Diente de león ( <i>Taraxicum officinale</i> )	Potentilla argentina ( <i>Potentilla anserina</i> )
Geranio pie de paloma ( <i>Geranium molle</i> )	Verónica pequeña ( <i>Veronica filiformis</i> )
Margarita inglesa ( <i>Bellis perennis</i> )	Trébol blanco ( <i>Trifolium repens</i> )
Diente de león falso ( <i>Hypochoeris radicata</i> )	Manzanilla salvaje ( <i>Matricaria chamomilla</i> )

**Controla o evita enfermedades tales como pero no limitadas a:**

Mancha del dólar    Roya    Moho de la veje

#### INDICACIONES DE APLICACIÓN: Agitar bien antes de usar.

No diluir. Rocíe las malezas completamente. Use una boquilla de rocío grueso para evitar salpicarse. Repetir el tratamiento entre 3 a 4 semanas para lograr mejores resultados.

#### ¿QUÉ VERÉ?

Trabaja rápidamente, verá cómo mueren las malezas a las horas de su aplicación. Las malezas, moho o algas tratadas se pondrán de color marrón o negro. Puede ocurrir un oscurecimiento de las hojas del césped luego del tratamiento; sin embargo el césped se recuperará dentro de unos pocos días o semanas. Puede manchar la paja (pasto muerto bajo el césped); pero esto no afectará la salud del césped.

## INDICACIONES DE USO (continuación)

### USE PRECAUCIONES:

No aplique al césped estresado seco; asegúrese de que el jardín esté bien regado antes de la aplicación. No aplique cuando la temperatura del día exceda los 85° F. No aplicar al agrostis. Si no está seguro sobre la sensibilidad del césped, pruebe el rocío en un área pequeña de su césped. No aplique en áreas recientemente sembradas antes de que germine la semilla del césped. Evitar rociar plantas preferidas. Si accidentalmente el producto entra en contacto con plantas o estructuras, enjuáguelas inmediatamente con agua. Para evitar manchar, espere a que el área tratada se seque antes de volver a ingresar. No aplicar si se espera lluvia dentro de las 3 horas de la aplicación. No regar hasta dentro de las 3 horas de su aplicación. No aplicar a la misma área más de 4 veces al año, no incluye tratamiento localizado.

## ALMACENAMIENTO Y ELIMINACIÓN

### ALMACENAMIENTO DEL PESTICIDA

Almacene este producto en su recipiente original y manténgalo en un área de almacenamiento seguro fuera del alcance de niños y animales domésticos. Almacene material sin usar, bien cerrado, en su recipiente original solamente, lejos del fuego.

### ELIMINACIÓN DEL PESTICIDA Y MANIPULACIÓN DEL CONTENEDOR



Contenedor no rellenable. No rellenar o volver a usar este contenedor.

**Si está vacío:** • Colocar en la basura para su reciclado si fuese posible.

**Si está parcialmente lleno:** • Llamar a la agencia de eliminación de desechos sólidos para conocer las instrucciones de eliminación. Nunca colocar el producto sin usar en un drenaje de salida o de entrada.

## RIESGOS AMBIENTALES

Para uso en tierra: No aplicar directamente al agua, o en áreas donde el agua de la superficie está presente o en áreas cercanas por debajo de la marca de agua promedio. No contaminar agua cuando deseche el equipo de lavado o enjuague. Para proteger al medio ambiente, no permitir que el pesticida ingrese o corra por los drenajes de tormenta, drenaje de aguas pluviales, canaletas o aguas superficiales. Aplicar este producto en clima calmo cuando no haya pronóstico de lluvia en las próximas 24 horas para asegurar que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Enjuagar el equipo usado para la aplicación en el área tratada ayudará a evitar que el producto ingrese en cuerpos de agua o sistemas de drenaje.

## DECLARACIONES DE PRECAUCIÓN

### PRECAUCIÓN Riesgos para seres humanos y animales domésticos

- Causa irritación leve en los ojos.
- Evitar contacto con los ojos o ropa.
- Lavar las manos cuidadosamente con agua y jabón luego de manipularlo y antes de comer, beber, masticar goma de mascar o usar tabaco. El contacto prolongado o repetido con la piel puede causar reacciones alérgicas en algunas personas.

## PRIMEROS AUXILIOS +

### EN CASO DE CONTACTO CON LOS OJOS

- Mantener los ojos abiertos y enjuagar lentamente y cuidadosamente con agua durante 15 o 20 minutos.
- Quitar los lentes de contactos, si los tuviera, luego de los primeros 5 minutos, continuar lavando.
- Llamar al centro de control de envenenamiento o al médico para asesoramiento sobre el tratamiento.

Tenga el contenedor o etiqueta del producto con usted cuando llame al centro de control de envenenamiento o al médico, o cuando vaya para recibir tratamiento. **En caso de información de emergencia, puede llamar al 1-877-229-3763.**

**AVISO AL COMPRADOR:** El vendedor garantiza que este producto corresponde con la descripción química en esta etiqueta y que se adapta a los fines establecidos en las Indicaciones de uso, sujeto a los riesgos inherentes descritos arriba cuando se usa de acuerdo a las indicaciones de uso bajo condiciones de uso normal. Hasta donde corresponda de acuerdo a la ley, esta garantía no aplica si este producto no se usa de acuerdo a las indicaciones o bajo condiciones de uso normal, o bajo condiciones no razonablemente predecibles para el vendedor. Hasta donde lo permita la ley, el vendedor no será responsable de tal uso. Hasta donde lo permita la ley, el vendedor no garantiza otras cosas, ya sean expresas o implícitas.

**Garantía de devolución de dinero:** Si usted no está satisfecho con el producto, gustosamente le reembolsaremos el monto original del precio de compra.

  
**NATRIA**  
Lawn Weed &  
Disease Control Ready-to-Use

**PRECAUTIONARY STATEMENTS**

**CAUTION Hazards to Humans and Domestic Animals**

- Causes slight eye irritation.
- Avoid contact with eyes or clothing.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals

**FIRST AID +**

**IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**For medical emergency information, you may call toll free 1-877-229-3763.**

**NOTICE TO BUYER:** Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

**Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

**EPA Reg. No. 67702-27-92564**

EPA Est. No indicated by 3rd and 4th digits of the batch number on this package.

(47) = 52251-OR-005 (65) = 92564-TX-1

(57) = 071106-GA-003

Distributed by:

SBM Life Science Corp.

1001 Winstead Drive, Suite 500

Cary, NC 27513



Sold under License of W. Neudorff GmbH KG  
Natria® is a registered trademark of SBM Life Science Corp.

501439380a 170603M1

PRESS TO RESEAL